
FIG. 1

C: ASSISUNCI AET



٠;

```
APPROVED O.G. FIG.
BY CLASS SUBCLASS
```

and the hall the all the hall

'n

h to the test to the test to

```
extern "C" void

sRGBColor( Color *pOut, Color *pIn )

{

for ( int i = 0; i < 4; i++)

{

float x = (*pIn)[i];

if (x < 0.03928f)

x = x/12.92f;


else

x = powf(((x + 0.055f)/1.055f), 2.4f);

(*pOut)[i] = x;

}

}
```



Ø

J

ij

IU

I I'm The Car and the

```
300 -
        extern "C" void
        LinearTosRGBColor( Color *pOut, Color *pIn )
          // coarse approximation: weighted arithmetic mean between
          // x^0.5 and x^0.375 approximates x^(1/2.4)
          for ( int i = 0; i < 4; i++)
             float x = (*pln)[i];
             float sqrtx = sqrtf(x);
             float sqrt3x = sqrtf(sqrtf(sqrtx));
             float pow124 = 0.38f*sqrtx+0.62f*sqrtx/sqrt3x;
             if (x < 0.00304f)
               x = 12.92f * x;
               else
                 x = 1.055f*pow124-0.055f;
               (*pOut)[i] = x;
        }
```

Ç

ŧД

慎

j

W

U

M

LI Km

ū

l÷

```
310 -
            extern "C" void
            LinearTosRGBColor(Color *pOut, Color *pIn)
              // finer approximation that avoids taking 3 successive
              // square roots: apply one round of N-R to guess cube
              // root of x*sqrt(sqrt(x))
              for (int i = 0; i < 4; i++)
                 float x = (*pln)[i];
                 float sqrtx = sqrtf(x);
                 float sqrt2x = sqrtf(sqrtx);
                 float appx = 0.78f*sqrtx+0.22f*sqrt2x;
                 float num = x*sqrt2x;
                 float cuberoot = (2*appx+(x*sqrt2x)/(appx*appx))/3.0f - 0.00025f;
                 if (x < 0.00304f)
                   x = 12.92f * x;
                   else
                     x = 1.055f*cuberoot-0.055f;
                  (*pOut)[i] = x;
              }
           }
```

```
By. CFASS SUBCLASS
```

den in der der ich ich

Will Con

4

```
const __declspec(align(16)) __m128 Const039 = _mm_set1_ps(
0.03928f );
const __declspec(align(16)) __m128 ConstInv1292 = _mm_set1_ps(
1.0f/12.92f );
const __declspec(align(16)) __m128 Const055 = _mm_set1_ps( 0.055f );
const __declspec(align(16)) __m128 ConstInv1055 = _mm_set1_ps(
1.0f/1.055f );
const __declspec(align(16)) __m128 Const1285 = _mm_set1_ps(
1.285f );
const __declspec(align(16)) __m128 Const0285 = _mm_set1_ps(
0.285f );
```

401 ۱

FIG. 6

```
extern "C" void
sRGBColor(Color *pOut, Color *pIn)
  // SIMD: compute BOTH answers and compose output using mask
    m128 ansBelowDelta = mm_mul_ps( *(__m128 *) pln, Constlnv1292 );
    m128 x = mm mul ps(ConstInv1055, mm add ps(*( m128 *) pln,
Const055)):
    m128 sqrx = mm_mul_ps(x, x);
    m128 invsqrx = mm_rcp_ps( sqrx );
    m128 invsqrtx = mm rsqrt ps(x);
  __m128 ansAboveDelta = _mm_div_ps( Const1285,
             _mm_mul_ps( invsqrx, _mm_add_ps( Const0285, invsqrtx ) ) );
    _m128 TruelfLTDelta = _mm_cmplt_ps( *( _ m128 *) pln, Const039 );
     m128 *) pOut = mm or ps( mm and ps( TruelfLTDelta, ansBelowDelta
),
                   _mm_andnot_ps( TruelfLTDelta, ansAboveDelta ) );
}
```

 500

FIG. 7

```
const __declspec(align(16)) __m128 CONST00304 = _mm_set1_ps( 0.00304f );
const __decispec(align(16)) __m128 CONST1292 = _mm_set1_ps( 12.92f );
const __declspec(align(16)) __m128 CONST055 = _mm_set1_ps( 0.055f );
const __declspec(align(16)) __m128 CONST1055 = _mm_set1_ps( 1.055f );
const __declspec(align(16)) __m128 CONST078 = _mm_set1_ps( 0.78f );
const __declspec(align(16)) __m128 CONST1m078 = _mm_set1_ps( 1.0f-0.78f );
const __declspec(align(16)) __m128 CONST38 = _mm_set1_ps( 0.38f );
const __declspec(align(16)) __m128 CONST1m38 = _mm_set1_ps( 1.0f-0.38f );
extern "C" void
LinearTosRGBColor(Color *pOut, Color *pIn)
    _m128 ansBelowDelta = _mm_mul_ps( *(__m128 *) pln, CONST1292 );
    m128 \text{ sqrtx} = mm \text{ sqrt ps}(*(m128*) pln);
    __m128 pow124 = _mm_add_ps( _mm_mul_ps( CONST38, sqrtx ),
                 mm div ps( _mm_mul_ps( CONST1m38, sqrtx ), sqrt3x ) );
    m128 ansAboveDelta = mm_sub_ps( _mm_mul_ps( CONST1055, pow124 ), CONST055 );
    m128 TruelfLTDelta = mm_cmplt_ps( *(__m128 *) pln, CONST00304 );
  *(__m128 *) pOut = _mm_or_ps( _mm_and_ps( TruelfLTDelta, ansBelowDelta ),
                  mm andnot ps( TruelfLTDelta, ansAboveDelta ) );
}
```

Ü

M

COMME.

⁵⁰⁰ FIG. 8

```
_declspec(align(16)) __m128 Magic00304 = _mm_set1_ps( 0.00304f );
const __declspec(align(16)) __m128 Magic1292 = _mm_set1_ps( 12.92f );
       declspec(align(16)) m128 Magic055 = mm set1 ps(0.055f);
const
       _declspec(align(16)) __m128 Magic1055 = _mm_set1_ps( 1.055f );
const
       const declspec(align(16)) m128 MagicFudge = mm set1 ps( 0.00025f );
const declspec(align(16)) m128 Magic078 = mm set1 ps( 0.78f );
const __declspec(align(16)) __m128 Magic1m078 = _mm_set1_ps( 1.0f-0.78f );
const __declspec(align(16)) __m128 Magic38 = _mm_set1_ps( 0.38f );
const __declspec(align(16)) __m128 Magic1m38 = _mm_set1_ps( 1.0f-0.38f );
extern "C" void
LinearTosRGBColor(Color *pOut, Color *pIn)
    _m128 ansBelowDelta = _mm_mul_ps( *(__m128 *) pln, Magic1292 );
  __m128 sqrtx = _mm_sqrt_ps( *(__m128 *) pln );
    __m128 appx = _mm_add_ps( _mm_mul_ps( Magic078, sqrtx ),
                mm mul ps( Magic1m078, sqrt2x ) );
   m128 cuberoot = mm_sub_ps(
             _mm_mul_ps( MagicInv3,
                _mm_add_ps( _mm_add_ps( appx, appx ),
                  mm div ps( mm mul ps(*( m128 *) pln, sqrt2x ),
                    _mm_mul_ps( appx, appx )
             ), MagicFudge
    m128 ansAboveDelta = mm sub ps( mm mul ps( Magic1055, cuberoot ), Magic055 );
    _m128 TruelfLTDelta = _mm_cmplt_ps( *(__m128 *) pln, Magic00304 );
    m128 *) pOut = mm or ps( mm and ps( TruelfLTDelta, ansBelowDelta ),
                  mm andnot ps( TruelfLTDelta, ansAboveDelta ) );
}
```

LI THE LE AND AND AND

Sy CASSISUBCLASS

